


mCODER Densu s2



Overview

mCODER Densu s2 is a professional multi-format, and real-time transcoder dual-node compact appliance. It automatically transcodes assets to internal house formats for a wide variety of media workflows.

It supports simultaneous media operations that can be a combination of transcoding and previewing files.



Highlights

- Operation modes: manual, scheduled, and automatic
- Ingest and/or transcode the contents according to the destination format
- Supports spanned clips (Sony XDCAM EX, Panasonic P2, Panasonic GH5, GoPro and Canon)
- Optional remote preview for media selection, sub-clipping, and merge
- Burnt-in options: text, timecode, overlays (images and videos), and LUT
- Flexible file renaming engine
- Enable edit while ingest
- Metadata preservation and enhancement
- Multiple simultaneous transcodes
- Full featured local and remote user interface
- Proxy generation
- Artificial intelligence

Specially Designed For

- Educational/Government
- Live Entertainment/Worship
- Corporate
- Sports
- Film/TV Studio/Scripted
- Mobile Studios/OB Vans
- Post-Production
- Broadcast/Digital News
- System Integrators/Rentals

Features

Features
Operation modes
Automatic
Manual
Scheduled
Clipnaming
Flexible file renaming engine
Create diversified clipnaming templates
Clipnaming based on Metadata Profiles
Use of common labels (Id, label, Counter, Date, Original Source Name, Weekday, User)
Field numeric representation of the day of the week
Folder Structure creation
Drag and Drop support
"CreationDate" field can refer to a desired Time Zone
Add the label "_p" to proxy clips' names
Multi-Configuration metadata management and enrichment
An efficient internal asset management
Quickly search for assets metadata
Directly manage your assets metadata
Prevent the overwrite of metadata fields
Protect metadata fields
Delete custom metadata
Edit a file's source metadata based on a configured metadata profile
"Description" field editable in metadata widget
Set "Description" field as a column in the Asset Explorer list view
Favorite metadata fields
Create custom metadata fields
Add a "Rating" metadata field
Update the source metadata directly through the metadata widget
Add asset tags insertion in preset list
Re-use lists of possible values
Update Metadata in Media Central/Interplay using AMT-3 library
Take field (counter)
Support for "Reel" metadata field using Apple ProRes Wrapper
Read metadata from pre-configured cloud storages (Amazon S3 / Google Cloud Storage / Tencent / IBM Cloud Object Storage)
Preserve specific Arri fields
Preserve RED digital cinema color information
Find immediately and learn everything about any asset
Show or hide proxies on Asset Browser
Sort, order and search for files on Asset Browser
Asset Explorer - Resizable thumbnails
Asset Explorer - Support asset availability
Search for all assets on Asset Explorer
Extract thumbnails and posters while indexing on Asset Explorer
Asset Explorer - Playable thumbnails
Preview media with interactive Pop-up Players
Asset Explorer - View the exact duration of files with more than 24 hours
Asset Selection -View the total duration of the selected assets
Configure the asset's preview duration
Asset Selection - Add Numeric Input
Asset management Check-in
AVID AAF
AVID interplay
XML support
XSLT transformation - XML sidecar
Edit share flow
Vizzi OTT check in
Support for update on Vizzi OTT check-in
Audio support
PCM input and output support
Dolby E-AC-3, Dolby TrueHD, and DTS input support

Features

- Dolby-E Input and output support
- DTS Coherent Acoustics (DCA)
- PCM 96KHz support
- Independent audio encoder for hires and proxy
- Individually map your audio by output target
- Playout audio only streams
- Loudness normalization (EBU R128)
- Audio downmixing & upmixing
- External audio files support (.WAV)
- MPEG-4 Audio (M4A) audio format as output
- Ability to mute proxy on the output

Close captions

- CEA/EIA - 608
- Scenarist (SCC)
- Add sidecar - SubRip (SRT)
- Add sidecar - Fragmented WebVTT
- Add sidecar - ISMT/CMFT subtitles
- DCP subtitle burn-in (.SCC)
- Digital Cinema Package (DCP) open captioning
- Support captioning for OTT (CMFT, SubRip, and WebVTT)
- Stream with Closed Captions

Locators

- Edit and delete locators
- Merge locators
- Preserve Metadata Enhancement locators created by an Automatic Job

Scheduler (Calendar View)

- Scheduled Automatic Jobs via Scheduler
- Edit individual events
- Allow editing of settings for each occurrence/repetition
- Set the number of an event's repetitions
- Ability to Ignore files before a start date
- Placeholder when editing an occurrence name
- Use pre-set naming templates
- Define events to be triggered on any day, on working days only or only on weekends
- Set the Calendar Notion option to automatically adjust to daylight time
- Visualize scheduled events in a List View
- Export activity events

Checksum media

- MD5 hash file
- MDL - Media hash list

File ingest

- Execute multiple simultaneous transcodes
- Batch ingest
- Card ingest
- Clip merge
- Clip renaming
- Disable Clip File Naming generation
- Ingest while growing
- Growing file support for Grass valley Edius Workgroup v.9 and X
- Partially restore clips
- Rough cut
- Establish priority levels
- Insert Subclips SOM and EOM without colons
- Automatic drag and drop ingest
- Drag and drop media from several social networks
- Generate XML sidecar with WAV file as output while ingest
- Generate a .xml file for each output AVID clip or AVID sequence
- Merge as Sequence from MP4 proxy files
- Merge as sequence by sequence XML for MP4
- Automatically select workflows available in job control attending the source files
- Directly select the storage on the dashboard instead of accessing workflow profiles
- Copy assets

Features

Group resulting assets into a single one
Copy - Transfer sidecars if available
Encode the contents according to the destination format
Decode the contents according to the destination format
Move assets
Edit while transcoding/ingesting
Place locators on growing files
Multiple resolutions check-in
Frame rate conversion
Variable Frame Rate Input
High Dynamic Range (HDR) support - HLG (arib std-b67) / PQ (SMPTE 2084)
High Frame Rate (HFR) up to 120fps (ST2081-10, ST2081-11, ST2082-10, ST2082-11 and ST2082-30)
Ability to perform "Run after completion" scripts
Audio only OPAtom as output
Opt to not overwrite files
Support for .MOV files containing "Run-length encoding" video essence
Enable "growing" support on EDL ingest workflow
Timecode SUM of selected cuts
Merge assets as EDL, regardless of the input's format
Merge Trimmed files
Merge files with different framerates
Merge P2 with different audio channels
Merge operations for Devices sources
Allow the merge of more than 200 assets
Support for spanned Panasonic P2 structure
Preserve original time code breaks in Panasonic P2 Format
Mute proxy option in output (requires proxy option)
Create Edit Decision Lists with cut points
View the total duration of the sub-clips in an EDL widget
Ingest from cloud locations
Digital Cinema Package (DCP) support
Choose to force fragment MP4 clips while uploading to a S3 bucket
Generation of MP4 files as fragmented MP4 with DCP packager
Digital Picture Exchange (DPX) support
Select IMF (Netflix Compliant) as the output metadata
FTP for generic network devices as input
Ability to delete OPAtom source files after ingest
Support for GOPRO spanned files
Support video with vertical rotation
MOG file package support
Support MOG Package from Cloud Storages
Outgest growing media directly from Interplay
Dual check in to interplay in a merge as sequence operation with the same MOBID for the sequences
HDR (PQ, HLG) conversion to SDR as output
Ingest image files
Support 48fps drop frame media (DJI Camera Drones)
Support for spanned clips
XDCAM support for spanned & merge clips in network locations/network devices
Add black bars to match the aspect ratio
Delete an Output via Job Abort
Schedule an Ingest operation through the Calendar via Automatic Jobs
Ingest and/or transcode the contents according to the destination format
Vubiquity assets support
Support for Vizzi collections as input files
Browse Avid Interplay folder structure from within the "Workflow selection window"
Avid Sub Clip export referencing Growing Master Clip
Generate Avid OPAtom assets to an FTP server
Independent targets and multiple outputs
Manage via web interface or REST APIs for integration with automation system
Update Metadata in Media Central/Interplay using AMT-3 library
Create Live Ingest Operations
Live Sources made available in the Asset Browser/Explorer widgets

Features

- Override start timecode
- Index clips with same name but with different metadata

Burn-In Video options

- Graphic burn-in while ingesting
- Text (Position, Text color, Box Color, Font Size)
- Timecode (Position, Text color, Box Color, Font Size)
- Overlays support (images and videos positioning)
- LUT (Look-Up Table) - Save particular color grades as a template

Quality control - Report

Video Report

- Black frames detection
- Video freeze detection
- Scene change detection

Audio Report

- Audio clipping detection
- Loudness detection
- Silence detection

Others

- Timecode gap detection

Automated ingest

- Dynamic workflows using metadata fields
- Dynamic workflows with support for metadata without sidecars
- Delete Assets in Dynamic Jobs
- Support different input types on dynamic configurations
- Ignore files before a start date
- Re-process assets with the same name
- Support metadata enhancement workflows
- Vizzi Collections support

File playback

- Preview Editing Decision Lists
- Preview Clip Lists
- Read Metadata Timecode Package (Auto / Material Package / Source Package)

Input/output social media *Optional

- Google Chrome Social-m Plugin
- Social-m - Add support for live stream capture
- Metadata in Chrome Social-m Plugin
- Capture to Facebook Live
- Stream to Facebook Live
- Stream to Twitch Live
- Capture to YouTube Live
- File based YouTube Upload
- Capture X (Twitter) Live
- Stream to X (Twitter) Live
- Upload to Vimeo
- Metadata social annotation and enhancement

Metadata Enhancement and preservation

Artificial Intelligence

Audio

- Audio clipping detection
- Loudness detection
- Silence detection
- Voice activity detection
- Audio mute detection
- Audio phase detection
- Mono audio detection

Video

- Black frames detection
- Video freeze detection
- Scene change detection
- Black Margins detection
- Flashing video detection

Features

Object

- Concept tagger 2.0
- Vehicle detection
- License plate detection

Others

- Timecode gap detection
- Update existing interplay entry with new metadata
- Possibility to add bounding boxes to player

Transform

- Automatically Blur License Plates
- Black margins automatic crop
- Remove audio clicks
- Remove audio clipping
- AI Upscale
- Reduce video flashing

Additional AI Operations

- Face recognition 2.0
- Face recognition - Support dataset with multiple images for each person
- Age prediction detection
- Object detection 2.0
- Optical Character Recognition (OCR)
- Speech recognition 2.0 (with ability to detect non speech tokens)

Analytics

- Integrate with Google Analytics and Tag Manager
- Enable or disable Analytics
- Keep track of menu events
- Receive video metrics
- Keep track of Job Control widget's events
- Keep track of Asset Explorer widget's events

Improved security

- Support for Windows UAC
- Support for HTTP/HTTPS Ingress
- HTTPS (Hypertext Transfer Protocol Secure) for REST API
- Secure login
- User Impersonation
- Token based authentication
- Two-factor authentication
- Remote services, system restart, and settings recovery features
- DASH/HLS packager with DRM
- Opt to "Keep me signed in"
- Send a User Verification through email
- Configurable password visibility in logs

Transfer acceleration protocols

- Aspera FASP transport technology - Transfer acceleration protocol
- FileCatalyst direct - Transfer acceleration protocol

Hardware acceleration *If Hardware is installed or available

- Intel QSV

General Purpose IN/OUT

- GPI triggers supported
- GPO triggers supported

Additional Highlights

- REST API - allows interaction with RESTful web services
- Change Aspect Ratio (4:3 / 16:9 / 1.9:1 / 2:1 or use same as source)
- Active Format Description (Option to Preserve, Discard or Override)
- Notify user upon connection lost with the Server
- Manage via web interface or REST APIs for integration with automation system
- Configurable quality and target latency of the preview stream
- Logging - Human readable information on Services logs
- Logging - Add user information on flow actions
- Logging - Structured Logging
- Receive SMTP notifications via e-mail
- Support an external Database

Features

Microsoft Edge / Firefox / Safari and Chrome Support

Unified Interface User Experience

- Configurable web interface access port
- Embeddable Dashboards/Widgets
- Web-Based Interface with video preview
- Dashboards based experience where users can create their own personalized view
- Dashboards presets for ease-of-use deployment
- Create your own custom dashboard templates
- Import and Export Users' Dashboards
- Associate a single dashboard to multiple users
- LDAP user authentication
- User profile management
- Users permissions control
- Widget based modular interface
- Lock/Unlock widgets permission
- High contrast theme
- Choose between multiple interface themes (Midnight, Carbon, Dark or High contrast theme)
- Touch screen mode
- Monitoring - Advanced metrics
- Multi Language Support
- User tour
- Show/Hide player overlays
- Notifications of required actions needed to resume a workflow
- Monitor Grouped Servers' activity in a Group Activity Widget

Multiviewer

- Define the quality and target latency of the preview stream

Maintenance

Scheduler

- Reboot host or group
- Export database (backup) as a scheduled task
- Export logs as a scheduled task

Activity

- Export last activity
- Export all activity
- Export activity from a date range
- Clear all activity

Logs

- Export logs

Backup

- Export full backup - A full backup will create an archive of all the files and configurations
- Import full backup

Dashboards

- Export dashboards from one user or all users
- Import dashboards

Data

- Clean data usage
- Clean assets, flows and notifications
- Perform a Factory Data Reset
- Erase all data and reset the system
- Force clear cache

Technical Specifications

Supported File Inputs

Inputs

	Inputs
OnPrem	ARRI ALEXA Cameras
	BlackMagic Cameras
	RED Digital Cinema
	Avid Files
	Avid Media Files (standalone or Nexis/ISIS)
	Avid Sequences (master clips and rendered sequences)
	CANON DSLR 5D, 7D, C300, C100

Inputs

OnPrem	Generic File Shares
	GoPro Cards
	IKEGAMI GFPAK
	JVC (AVC HD models)
	NextoDI NSB-25
	Panasonic CX350 HEVC
	Panasonic AU-EVA1 and GH5 Cameras
	Panasonic P2
	AJ PCD 2 / AJ PCD 20/30/35 / AJ MPD1
	AU-XP1E / AU-XP3EJ
	Multi Clip/Spanned XDCAM/XAVC/XDCAM-EX Structure
	XDCAM EX
	Sony SxS (SBAC-UT100, SBAC-US10/20/30)
	Sony XQD (MRW E-80, MRW E-90)
	XDCAM HD
	Sony XDCAM HD: Disc (PDW-U1, PDW-U2, PDW-U4)
	XAVC Structures
	DJI (Camera Drones)
	HLS Structures
	MPEG-TS Structures
	MOG Package
	Network
	XDCAM Network
	P2 Network
	ARRI RAW Network
	Ikegami Network
	Storage
	Avid ISIS / Nexis
	Avid Unity™ MediaNetwork
	DDP – Dynamic Drive Pool
	Facilis TerraBlock
	Harmonic MediaGrid
	Editshare EFS
NAS / SAS (SMB 2.0 and 3.0)	
Quantum StorNext	
ScaleLogic NX2 & ZX NAS Storage	
EMC Isilon	
QNAP	
Studio Network Solutions EVO	
Oracle Storage	
Netapp	
Cloud	Social Media
	Facebook
	X (Twitter)
	Vimeo
	YouTube
	Professional Cloud Storages
	Adobe Creative Cloud
	Amazon S3 Glacier
	Microsoft Azure Storage
	Tencent
	Lucidlink Cloud NAS
	Google Cloud Storage
	IBM Cloud Object Storage
	Generic S3 storages
	Consumer Cloud Storages
	Apple I Cloud Drive
	Dropbox
Google Drive	
Microsoft One Drive	

Supported File Outputs

Outputs	
OnPrem	Avid ISIS / Nexis
	Avid Unity™ MediaNetwork
	DDP – Dynamic Drive Pool
	Facilis TerraBlock
	Harmonic MediaGrid
	Editshare EFS
	NAS / SAS (SMB 2.0 and 3.0)
	Quantum StorNext
	ScaleLogic NX2 & ZX NAS Storage
	EMC Isilon
	QNAP
	Studio Network Solutions EVO
	Oracle Storage
	Netapp
	FTP Servers (List on request)
Generic File Shares	
Cloud	Consumer Cloud Storages
	Apple Cloud Drive
	Dropbox
	Google Drive
	Microsoft One Drive
	Multiple and Adaptive bitrates for the OTT * Optional
	Professional Cloud Storages
	Adobe Creative Cloud
	Amazon S3 Glacier
	Microsoft Azure Storage
	Tencent
	Lucidlink Cloud NAS
	Google Cloud Storage
	IBM Cloud Object Storage
	Generic S3 storages
	Social Media *Optional
	Facebook
	X (Twitter)
Vimeo	
YouTube	

Supported Live Outputs

Outputs	
Live	Social Media *Optional
	Facebook
	Twitch
	X (Twitter)
	Vimeo
	YouTube
Multiple and Adaptive bitrates for the OTT *Optional	

Formats

Input Formats

Input Video Formats
ARRI ARRIRAW
Blackmagic RAW
Digital Cinema Packages (DCP)
RED Digital Cinema
IMX 30/40/50 Mbps
MPEG2 LGOP 18/25/35 Mbps 4:2:0
MPEG2 LGOP 50/70 Mbps 4:2:2
MPEG2 LGOP 422 50 Mbps
MPEG2 LGOP 420 1440x1080 35 Mbps
MPEG2 LGOP 420 (FULL) 35 Mbps

Input Video Formats

DVCAM 25 Mbps
 XAVC Intra 50 / 100 Mbps
 XAVC LGOP 25 / 35 / 50 Mbps
 DVCPRO 25/50 Mbps / DVCPRO HD 100 Mbps
 AVC-Intra 50/100 Mbps
 AVC-Intra 200 Mbps
 AVC Ultra (LGOP 6/12/25/50 Mbps)
 DNxHD (SQ/HQ/HQX/LB)
 H.264 1080p 8 - 12 Mbps High Profile
 H.264 720p 5 - 7.5 Mbps High Profile
 H.264 480p 2.5 - 4 Mbps High Profile
 H.264 360p 1 - 1.5 Mbps High Profile
 H.264 1080p 3 - 9 Mbps High Profile (Live)
 H.264 720p 1.5 - 6 Mbps High Profile (Live)
 H.264 480p 0.5 - 2.0 Mbps High Profile (Live)
 H.264 360p 0.4 - 1.0 Mbps High Profile (Live)
 H.264 240p 0.3 - 0.7 Mbps High Profile (Live)
 H.264 L10 10 Mbps
 H.264 MOG 1Mbps
 H.265/HEVC 10 Mbps LGOP
 H.265/HEVC 25 Mbps LGOP
 H.265/HEVC 50 Mbps LGOP
 H.265/HEVC 100 Mbps LGOP
 MPEG-5 EVC Baseline Profile
 MPEG-5 EVC Main Profile
 MPEG VVC/H266 Main Profile
 ProRes 422 (SQ/HQ/LT)
 JPEG 2000 (Full HD)
 Google® VP6 / VP7 / VP8 / VP9 (Full HD)
 Uncompressed UYVY 422 / V210 / RGBA
 AOMedia Video 1 (Full HD)
 IMF (JPEG 2000 @ Full HD)

Output Formats

Output Video Formats

IMX 30/40/50 Mbps
 MPEG2 LGOP 18/25/35 Mbps 4:2:0
 MPEG2 LGOP 50/70 Mbps 4:2:2
 MPEG2 LGOP 422 50 Mbps
 MPEG2 LGOP 420 1440x1080 35 Mbps
 MPEG2 LGOP 420 (FULL) 35 Mbps
 DVCAM 25 Mbps
 XAVC Intra 50 / 100 Mbps
 XAVC LGOP 25 / 35 / 50 Mbps
 DVCPRO 25/50 Mbps / DVCPRO HD 100 Mbps
 AVC-Intra 50/100 Mbps
 AVC-Intra 200 Mbps
 AVC Ultra (LGOP 6/12/25/50 Mbps)
 DNxHD (SQ/HQ/HQX/LB)
 H.264 1080p 8 - 12 Mbps High Profile
 H.264 720p CBR - 6.5 Mbps High Profile
 H.264 720p 5 - 7.5 Mbps High Profile
 H.264 480p 2.5 - 4 Mbps High Profile
 H.264 360p 1 - 1.5 Mbps High Profile
 H.264 1080p 3 - 9 Mbps High Profile (Live)
 H.264 720p 1.5 - 6 Mbps High Profile (Live)
 H.264 480p 0.5 - 2.0 Mbps High Profile (Live)
 H.264 360p 0.4 - 1.0 Mbps High Profile (Live)
 H.264 240p 0.3 - 0.7 Mbps High Profile (Live)
 H.264 1080p CBR 15 Mbps MAIN Profile
 H.264 480p CBR 2.3 Mbps MAIN Profile
 H.264 360p CBR MAIN Profile

Output Video Formats

H.264 432p CBR MAIN Profile
 H.264 576p CBR MAIN Profile
 H.264 720p CBR MAIN Profile
 H.264 1080p CBR MAIN Profile
 H.264 576p CBR - 3 Mbps MAIN Profile
 H.264 720p CBR - 4 Mbps MAIN Profile
 H.264 1080p CBR - 5Mbps MAIN Profile
 H.264 15-30 Mbps MAIN Profile
 H.264 L10 10 Mbps
 H.265/HEVC LGOP 4:2:2
 H.265/HEVC 10 Mbps LGOP
 H.265/HEVC 25 Mbps LGOP
 H.265/HEVC 50 Mbps LGOP
 H.265/HEVC 100 Mbps LGOP
 MPEG-5 EVC Baseline Profile
 MPEG VVC/H266 Main Profile
 ProRes 422 (SQ/HQ/LT)
 JPEG 2000 (Full HD)
 Google® VP6 / VP7 / VP8
 Google® VP9 (Full HD)
 Uncompressed UYVY 422 / V210 / RGBA
 AOMedia Video 1 (Full HD)
 IMF (JPEG 2000 @ Full HD)

Proxy Formats

Output Proxy Formats

H.264 @ 500 Kbps Flash
 H.264 @ 486p 1 / 1.5 Mbps Flash
 H.264 360p @ 1.6 Mbps Flash
 H.264 720 480p @ 8 / 10 Mbps Flash
 H.264 720p @ 8 / 15 / 16 / 20 / 24 / 25 Mbps Flash
 H.264 854 480p @ 8 / 10 Mbps Flash
 H.264 960 540p @ 3 Mbps Flash
 H.264 1080p @ 8 / 15 / 16 / 20 / 24 / 25 Mbps Flash
 H.264 SD @ 4 / 8 / 15 / 20 / 25 Mbps
 H.264 480p @ 0.5 - 2 Mbps High Profile (Live)
 H.264 360p @ 0.4 - 1 Mbps High Profile (Live)
 H.264 240p @ 0.3 - 0.7 Mbps High Profile (Live)
 ProRes Proxy 1920x1080
 ProRes Proxy 1280x720
 ProRes Proxy 960x540
 ProRes Proxy SD (16:9 Raster)
 ProRes Proxy SD
 MPEG-1 (layer 2) @ 1.5 Mbps
 Avid MPEG-2 (SIF @ 2Mbps)
 H.264 Interplay Web (SD, 800 Kbps, and 2 Mbps)
 Sony Proxy AV (MPEG-4 Part-2) @1.5 Mbps

OTT Formats *

Output OTT Formats

H.264 1080p 8 - 12 Mbps High Profile
 H.264 720p 5 - 7.5 Mbps High Profile
 H.264 480p 2.5 - 4 Mbps High Profile
 H.264 360p 1 - 1.5 Mbps High Profile
 H.264 1080p 3 - 9 Mbps High Profile (Live)
 H.264 720p 1.5 - 6 Mbps High Profile (Live)
 H.264 480p 0.5 - 2.0 Mbps High Profile (Live)
 H.264 360p 0.4 - 1.0 Mbps High Profile (Live)
 H.264 240p 0.3 - 0.7 Mbps High Profile (Live)
 H.264 360p CBR MAIN Profile
 H.264 432p CBR MAIN Profile

Output OTT Formats

H.264 576p CBR MAIN Profile
H.264 720p CBR MAIN Profile
H.264 1080p CBR MAIN Profile
H.264 576p CBR - 3 Mbps MAIN Profile
H.264 720p CBR - 4 Mbps MAIN Profile
H.264 1080p CBR - 5Mbps MAIN Profile
H.265/HEVC 10 Mbps LGOP
H.265/HEVC 25 Mbps LGOP
H.265/HEVC 50 Mbps LGOP
H.265/HEVC 100 Mbps LGOP
H.265/HEVC LGOP 4:2:2
Google® VP9 (Full HD)
Google® VP9 (4K)

* Optional output

Product Integrations

Editing Sytems	MAM / PAM / DAM	Cameras	Consumer Cloud Storages
Adobe Premiere Pro	CatDV MAM	Canon (DSLR5D, DSLR 7D)	Dropbox
AVID Media Composer	CatDV PAM	Canon (DSLR C300, DSLR C100)	Google Drive
AVID Media Central UX	CatDV DAM	ARRI Alexa XT (ARRIRAW)	Microsoft One Drive
AVID Media Central Cloud UX	eMAM Media Asset Management	Panasonic AU-EVA1	Apple I Cloud Drive
Apple Final Cut Pro X	Telestream: Masstech	Panasonic GH5 Cameras	CDN's
Edius: Pro 8, Workgroup 9	AVID Interplay	Panasonic CX350 HEVC	Lumen
BlackMagic: DaVinci Resolve Studio	AXLE MAM	Ikegami Gfpack	Fastly
Autodesk: Flame	Editshare Flow	JVC AVC HD camera models	Akamai Technologies
Storage	MOG Vizzi	LUMIX DC-S1H	Microsoft Azure
AVID ISIS Storage	Structures	RED Digital Cinema	Cloudflare
AVID Nexis Storage	XAVC Structures	GOPRO	Limelight Networks
Avid Unity™ MediaNetwork	Professional Cloud Storages	Card Readers	Amazon CloudFront
Dynamic Drive Pool SAN Storage	Adobe Creative Cloud	Panasonic P2 (AJ PCD 2 / AJ PCD 20/30/35)	BootstrapCDN
Facilis Terrablock	Amazon EC2	Panasonic P2 (AJ MPD1)	StackPath
Harmonic MediaGrid	Amazon S3	Panasonic P2 (AU-XP1E / AU-XP3EJ)	KeyCDN
Quantum: Storenxt	Amazon S3 Glacier	Panasonic P2 (AG HPG 20)	Rackspace
Scalelogic: NX2 & ZX NAS Storage	Microsoft Azure Storage	Sony XDCAM EX (SxS Cards): SBAC-US10/20/30	Alibaba Cloud Content Delivery Service
Editshare EFS	Microsoft Azure Virtual Machines	Sony XDCAM EX (SxS Cards): SBAC-UT100	CacheFly
EMC: Isilon	Tencent: Cloud Storage	Sony XDCAM EX (SxS Cards): MRW E-80	Verizon
QNAP	Lucidlink Cloud NAS	Sony XDCAM EX (SxS Cards): MRW E-90	Social Media *Optional
Studio Network Solutions: EVO	Google Cloud Storage	Sony Disc Reader: PDW-U1, PDW-U2	Facebook
Oracle Storage	IBM Cloud Object Storage	VTR Decks	Twitch
Netapp	Generic S3	XDCAM HD: Disc (PDW 1500, PDW HD1500)	X (Twitter)
Archive	Hyperversers	XDCAM HD: Disc (PDW F70)	YouTube
Archiware P5	Microsoft HyperV	XDCAM Station (XDS1000)	Vimeo
Xendata Archive Appliances	VMWare ESX	Transfer Acceleration Protocols	
Oracle Front Porch Digital DIVArchive		File Catalyst Direct	
		IBM: Aspera File Transfer	

Server Options

Features		Specs	
System	Platform	Densu 1U	
	Operating System Drive	480GB	
	Operating System	Windows 10 Enterprise (LTSC)	
Connectivity	Networking	1Gb Ethernet Port	2
		2.5Gb Ethernet Port	2
	Video	Display Port	2
		HDMI	2
	USB	2.0	4
		3.0	8
Audio Output		2	
Power Requirements		Single 300W	
Other	Dimensions & Weight	1RU, 245x484x42.5mm (D, W, H), ~7Kg	
	Delivery Packaging	580x380x250mm (D, W, H), ~8Kg	
	Temperature	Continuous Operation	10°C to 32°C (50°F to 89.6°F)
		Power Cable	1x C13 to C14
	What is Included	Other	4x rack mount screws

Concurrent Media Operations

With mCODER Densu s2, it is possible to run different media operations simultaneously, thus guaranteeing distinct arrangements to meet the challenging media day-to-day activities.

Media operations include ingest, transcoding, and file preview.

mCODER Densu s2 io supports up to 3 media operations per node at the same time. Within this margin, you can combine the operations shown in the table below:

Concurrent Media Operations	
Ingest & Transcode	File Preview
Up to 3 operations per node	Up to 5 files preview

Product

Part Number	Product	Description
mcs2	mCODER Densu s2	Compact dual-node file ingest appliance of up to 3 combined media operations per node

Available Options

Choose from the products below to customize the mCODER Densu s2 according to your business rules.

Add-ons

Output options to complement your workflows.

Part Number	Product	Description
s2oasa	OTT & Social media	Multiple output resolutions for OTT & Simultaneous social media shares

Note: Adding optional features might affect the number of simultaneous operations.

Plugins

Complement any media production and distribution workflow with turnkey plugins and extensions.



Social-m

Quickly fetch and publish your live or VoD contents to social media.

This social media plugin for Chrome will let users ingest media without having to access the mCODER GUI, allowing the content to be ready for editing or any other task, in no time. Simply open the plugin, insert the URL and run the workflow to fetch your video, with option to preserve metadata.

Part Number	Product	Description
smpi	Social-m plugin	Social media capture & Publishing

Note: Adding optional features might affect the number of simultaneous operations.

Artificial Intelligence

Artificial intelligence engine to boost and facilitate media tasks even more.

Default (already included)	
Black frames detection	Voice activity detection
Video freeze detection	Silence detection
Black margins detection	Loudness detection
Audio clipping detection	Loudness balance
Audio mute detection	Vehicle detection
Audio phase detection	License plate detection
Audio mono detection	Concept tagger
Timecode gap detection	Bouncing boxes
Scene change detection	Update existing interplay entry with new metadata
Transformation	
Frame rate conversion	Crop black margins
Remove audio clicks	AI upscale
Remove audio clipping	Blur license plates

Additional AI Operations	
Part Number	Product
s2aifr	Face Recognition and Age Prediction
s2aiod	Object Detection
s2aicr	Optical Character Recognition
s2aisr	Speech Recognition

Note: Adding optional features might affect the number of simultaneous operations.

Contact our sales team at sales@mog-technologies.com to find out how to purchase or in case you need more information.

Disclaimer: the data and information contained in this document is representative and may be incomplete. If in doubt, please contact our sales team at sales@mog-technologies.com. The information contained in this document is not to be construed as a warranty, express or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. In no event will MOG be liable for any incidental or consequential damages resulting from the use, misuse, or inability to use the product. This exclusion applies regardless of whether such damages are sought on the basis of breach of warranty, breach of contract, negligence, strict liability in tort or any other legal theory. Contact our sales team at sales@mog-technologies.com to find out how to purchase or in case you need more information.