

## mDECK Solid io




### Overview

Take your content production to the next level with mDECK Solid io, a professional media deck that ensures incredible reliability and elasticity with the combination of record, ingest, transcode, and playback operations in 4K, UHD, FHD, and NDI. All in a single box and with users working together as a group.

This powerful appliance ensures broadcast quality for hybrid workflows (file-based and live) while supporting the most used formats on the market.

Additionally, it has an option for local storage of 8TB, PSU redundancy, and an OS Drive.



### Highlights

- mPAM - Content and production asset manager for up to 4 users
- mSWITCH - Remote live switching and compositing
- mTALK - Audio communication between users
- Live to live - multiple simultaneous records
- Batch capture
- Closed captions
- Multiple simultaneous transcodes
- File playback - multiple simultaneous plays
- Metadata preservation, enhancement, and enrichment
- Playlist management
- Media checksum
- Quality control, audio, and video report
- Flexible file naming and renaming engine
- Locators support
- Automated file ingest
- Supports spanned clips
- Proxy generation
- Playout preparation and control
- Improved security
- Artificial intelligence

### Specially Designed For

- Educational/Government
- Live Entertainment/Worship
- Corporate
- Sports
- Film/TV Studio/Scripted
- Digital News
- Digitalization
- Archiving
- Post-Production
- Broadcast/Digital News
- OTT & Streaming
- System Integrators/Rentals

## Features

Features
<b>Timecode support</b>
LTC (SMPTE 12M)
VITC (SMPTE RP188)
Time of Day
From VTR (BVW) - Serial
<b>Multiple LIVE and simultaneous records</b>
Crash Record operations
Gang Capture operations
Independent workflow selection in Gang Captures
Unique workflow for gang captures while using clipnaming with counters
Hide unused Capture Instances
Synchronized gang captures
Ability to choose which channels are present in the gang
Frame Chase editing
Unlimited capture duration support
Loop record support
Extend playlist maximum duration in Loop Record workflows
Perform Loop record captures through automatic jobs
Growing files support
Growing file support for Grass valley Edius Workgroup v.9 and X
Growing XDCAM MXF OP1a file support on Avid Media Composer <b>*required Nablet AMA Plugin</b>
Automatic Stream Control - Detect input streams and start recording automatically
Continuous recording support
Continuous live stream capture
Recording timer for captures
Abort or force stop a capture or a stream
Frame rate conversion option on Capture workflows
Generation of MP4 files as fragmented MP4 with DCP packager
Generate XML sidecars with WAV file as output while recording
Perform "Run after completion" scripts
Live Probing option
Stream Closed Captions
Edit a Workflow directly from the Player
Option to start timecode recording from 00:00:00:00
Export MOG playlist (.XML Sidecar containing information about the chunks of the recorded media)
Batch record support
Deck control through Serial Ports
Pre-roll and post-roll options
LiveU NewsML batch capture
LiveU NewsML metadata import
LiveU NewsML - support XML from devices (Live U, Android and iPhone)
LiveU include subfolder browse
Contribution Web Video Player - Aspect marker, Safe Area Marker, and Center marker
Player Overlay - Center Dot and Cross
Support for Active Format Description (AFD)
<b>Operation modes</b>
Automatic
Manual
Scheduled
<b>Clipnaming</b>
Flexible file renaming engine
Create multiple and diverse Clipnaming templates
Clipnaming based under metadata profiles
Use of common labels (Id, label, Counter, Date, Original Source Name, Weekday, User)
Field numeric representation of the day of the week
Folder Structure creation
Drag and Drop support
Restore auto numbering on capture abort in naming templates
Time Zone Support when the "CreationDate" field is selected
Support to append "_p" to proxy clip names
<b>Multi-Configuration metadata management and enrichment</b>
Internal asset management
Quickly search for assets metadata
Metadata management
Metadata generation on capture operations
Metadata fields - prevent overwrite
Protection of metadata fields
Delete custom metadata
Edit group clip metadata
Edit source metadata based on a metadata profile
"Description" field editable in metadata widget
"Description" field as a column in the asset explorer list view
Send metadata to Gang Captures
Favorite metadata fields
Create custom metadata fields

**Features**

- Rating metadata field
- Metadata source update directly in the metadata widget
- Add asset tags insertion in preset list
- Support re-using lists of possible values
- Update Metadata in Media Central/Interplay using AMT-3 library
- Ability to rename media in Interplay after capture began
- Take field (counter)
- Support for "Reel" metadata field using Apple ProRes Wrapper
- Read metadata from cloud storage (Amazon S3 / Google Cloud Storage / Tencent / IBM Cloud Object Storage)
- Preserve Arri specific fields
- Preserve RED digital cinema color information

**Find immediately and learn everything about any asset**

- Asset Browser - Show/hide proxies
- Asset Browser - Sort, order, and search
- Asset Explorer - Resizable thumbnails
- Asset Explorer - Support asset availability
- Asset Explorer - Search all
- Asset Explorer - Extraction of thumbnails and posters while indexing
- Asset Explorer - Playable thumbnails
- Asset Explorer - Pop-up player
- Asset Explorer - View the exact duration of files with more than 24 hours
- Asset Selection -View the total duration of the selected assets
- Asset Selection - Configurable asset preview duration
- Asset Selection - Add Numeric Input

**Asset management Check-in**

- AVID AAF
- AVID interplay
- XML support
- XSLT transformation - XML sidecar
- Edit share flow
- Vizzi OTT check in
- Support for update on Vizzi OTT check-in

**Audio support**

- PCM input and output support
- Dolby E-AC-3, Dolby TrueHD, and DTS input support
- Dolby-E Input and output support
- DTS Coherent Acoustics (DCA)
- PCM 96KHz support
- Independent audio encoder for hires and proxy
- Individual audio mapping by output target
- Record audio only streams
- Playout audio only streams
- Loudness normalization (EBU R128)
- Audio downmixing & upmixing
- External audio files support (.WAV)
- MPEG-4 Audio (M4A) audio format as output
- Mute proxy option in output

**Close captions**

- CEA/EIA - 608
- Scenarist (SCC)
- Add sidecar - SubRip (SRT)
- Add sidecar - Fragmented WebVTT
- Add sidecar - ISMT/CMFT subtitles
- DCP subtitle burn-in (.SCC)
- Digital Cinema Package (DCP) open captioning
- Support DVB-S captions in streams
- Support captioning for OTT (CMFT, SubRip, and WebVTT)
- Stream Closed Captions

**Locators**

- Create locators with shortcut keys
- Edit and delete locators
- Edit locators description
- Insertion and viewing
- Action fields creation and customization
- Comments insertion in a markers widget tab
- Locators source in markers widget
- Multiple subcategories for a locator
- Order asset locators by timecode
- Absolute timecode for source locators
- Enter Timecode without the need of entering colons
- Eject locators using the player eject button
- Locators merge
- Support for locators with AMT captures
- Send locators to gang captures
- Send locators to playout
- Preserve Metadata Enhancement locators created by an Automatic Job

## Features

**Scheduler (Calendar View)**

- Scheduled Record
- Scheduled Automatic Jobs via Scheduler
- Edit individual events
- Allow editing of settings for each occurrence/repetition
- Configure the number of events repetitions
- Check collision between events with repetitions
- Ability to Ignore files before a start date
- Placeholder when editing an occurrence name
- Enable field event name as AVID Interplay clipname by default
- Pre-set naming templates
- Independent targets and multiple outputs support
- Capability to set a maximum capture duration
- Configurable number of iterations when using maximum capture duration
- Use AVID Interplay clip name as event name on crash record events
- Pre-roll and post-roll options for scheduled events
- Define events to be triggered on any day, on working days only or only on weekends
- Possibility to use the calendar notion option in order to adjust for daylight saving time automatically
- Ability to edit Start Time field after the first recording
- Visualize scheduled events in a List View
- Export activity events
- Perform captures from a MOG S1000
- Perform captures from an Airspeed 5000
- Perform captures from a Softron Movie Recorder

**Signal error detection and related recovery actions**

- Signal error detection
- Drop frame detection
- Timecode breaks support
- Configurable capture resume methodology
- Automatic streaming (headless) - Restart capture after stopping/crashing or rebooting

**Checksum media**

- MD5 hash file
- MDL - Media hash list

**Live to Live**

- Delete artifacts on abort
- Vizzi OTT Live Output
- Multiple resolutions check-in
- Support Time of Day in input streams (RTMP, MPEG-TS, RTP, SRT, RTSP, HLS, LLDASH, MSS, MPEG-DASH, CMAF)
- Support Live Stream from sCapture as rPayout input
- Variable Frame Rate Input
- Support IGMPv3 multicast

**MPEG-TS Support**

- Capture of MPEG-Transport Streams
- Support of MPEG-TS program IDs

**NDI**

- Native NDI output
- NDI HX Support
- NDI audio and video synchronized mechanism
- NDI discovery mechanism
- Capture multiple NDI sources
- Time of day and embedded timecode options in NDI input

**RTMP**

- RTMP recording with absolute timecode
- RTMP Push Mode in input and output
- RTMP Pull Mode in input and output
- Native RTMP listener capability
- Multiple audio channels in RTMP Output
- HEVC, VP9 and AV1 codec in enhanced RTMP/FLV

**SRT**

- Input modes: Caller, Listener, and Rendezvous
- SRT listener mode as stream output
- Output modes: Caller and Rendezvous
- Stream ID support
- Configurable latency settings
- Configurable overhead bandwidth
- Configurable passphrase
- Monitoring input metrics

**WebRTC**

- h.264 Support
- VP8 Support
- VP9 Support

**Live switcher - Capture switcher producer**

- Commute between channels while recording
- Record audio and video from one channel, or just audio or video
- Payout from SDI Inputs
- Payout from Streams Inputs
- Payout from File Inputs

Features

Overlay graphics support
Chroma Key as Input
<b>File ingest</b>
Multiple simultaneous transcodes
Batch ingest
Card ingest
Clip merge
Clip renaming
Disable Clip File Naming generation
Partial restore
Rough cut
Insert Subclips SOM and EOM without colons
Automatic drag and drop ingest
Drag and drop from social networks
Generate XML sidecar with WAV file as output while ingest
Generate a .xml file for each output AVID clip or AVID sequence
Merge as Sequence from MP4 proxy files
Automatically select workflows available in job control attending the source files
Allow the creation of clip cuts in growing files to be added to a playlist for playout
Directly select the storage on the dashboard instead of accessing workflow profiles
Copy assets
Group Assets - Group the resulting outputs into a single asset
Copy - Transfer sidecars if available
Encode the contents according to the destination format
Decode the contents according to the destination format
Move assets
Edit while ingest
Use locators on growing files
Multiple resolutions check-in
Frame rate conversion
Variable Frame Rate Input
High Dynamic Range (HDR) support - HLG (arib std-b67) / PQ (SMPTE 2084)
High Frame Rate (HFR) up to 120fps (ST2081-10, ST2081-11, ST2082-10, ST2082-11 and ST2082-30)
Ability to perform "Run after completion" scripts
Audio only OPAtom as output
Do not overwrite files option
Support for .MOV files containing "Run-length encoding" video essence
Enable "growing" support on EDL ingest workflow
Merge as EDL independent of input format
Merge Trimmed files
Merge files with different framerates
Merge P2 with different audio channels
Merge operations for Devices sources
Allow merge of more than 200 assets
Support for spanned Panasonic P2 structure
Preserve original time code breaks in Panasonic P2 Format
Mute proxy option in output (requires proxy option)
Edit decision lists with cut points
Display the total duration of sub-clips on Edit Decision List widget
Ingest from cloud locations
Digital Cinema Package (DCP) support
DCP Packager - Possibility to force fragmented MP4 while uploading to S3 buckets
Generation of MP4 files as fragmented MP4 with DCP packager
Digital Picture Exchange (DPX) support
IMF (Netflix Compliant) output metadata
FTP for generic network devices as input
Ability to delete OPAtom source files
Support for GOPRO spanned files
Support video with vertical rotation
MOG file package support
Support MOG Package from Cloud Storages
Outgest growing media from Interplay
HDR (PQ, HLG) conversion to SDR as output
Support for image files ingest
Support 48fps drop frame media (DJI Camera Drones)
Support for spanned clips
XDCAM support for spanned & merge clips in network locations/network devices
Delete Output on Job Abort
Schedule ingest (Calendar) - Automatic Job
Ingest and/or transcode the contents according to the destination format
Vubiquity assets support
Support for Vizzi collections as input files
Browse Avid Interplay folder structure from within the "Workflow selection window"
Avid Sub Clip export referencing Growing Master Clip
Generate Avid OPAtom assets to an FTP server
Update Metadata in Media Central/Interplay using AMT-3 library
Live Ingest Operations

## Features

Live sources available in asset browser/explorer
Override start timecode
<b>Burn-In Video options</b>
Graphic burn-in while recording
Graphic burn-in while ingesting
Text (Position, Text color, Box Color, Font Size)
Timecode (Position, Text color, Box Color, Font Size)
Overlays support (images and videos positioning)
LUT (Look-Up Table) - Save particular color grades as a template
<b>Quality control - Report</b>
<b>Video Report</b>
Black frames detection
Video freeze detection
Scene change detection
<b>Audio Report</b>
Audio clipping detection
Loudness detection
Silence detection
<b>Others</b>
Timecode gap detection
<b>Automated ingest</b>
Dynamic workflows using metadata fields
Dynamic workflows with support for metadata without sidecars
Delete Assets in Dynamic Jobs
Support different input types on dynamic configurations
Ignore files before a start date
Support metadata enhancement workflows
Vizzi Collections support
<b>File playback</b>
Simultaneous playback
Composition play
Instant play
Gang Play
Replay a group or an individual asset
Loop playback
Group Loop Playback
Gridline (3x5) Overlay
Remote preview
Support for 10bit
Synchronous SDI playback of multiple files
Closed captions
Cue mode
Monitor - support HDR
Option to add locators
Play assets from cloud storages
Playback - 8K UHD
Embedded VITC output support
Step multiple frames forward and backwards on SDI/gang playback
Timecode and metadata overlaying on SDI out
Support for growing assets in player
Support for spanned assets in player
Timecode only monitoring
Use of a contour shuttle to control an asset during playback
Playback duration showing the remaining time of the clip
Remove clips
Reorder clips
Export playlist
High Dynamic Range (HDR) support - HLG (arib std-b67) / PQ (SMPTE 2084)
High Frame Rate (HFR) up to 120fps (ST2081-10, ST2081-11, ST2082-10, ST2082-11 and ST2082-30)
Preview - Possibility to change the playback speed by multiplier factors
Simple Time Delay: Scheduling a Playback of a Single File in Growing Recording Mode
Read Metadata Timecode Package (Auto / Material Package / Source Package)
<b>Playout</b>
<b>Playout Preparation</b>
Build playlists in a Playlist Builder widget
Create multiple Playlists
Allow configuring playout clip action while preparing the playlist
Support visual separators for rPlayout playlists
Drag and Drop clips to the player for media preparation
Support insertion of Timecodes without separators ":" in the playlist builder
Use both types of TC (Relative and Absolute) for Mark-ins and mark-out at playlist builder
Trim clips to be included in the Playlist
Editable timecodes of the in and out points
Re-arrange clips order
Duplicate Edit Decision Lists
Export Edit Decision Lists

Features

**Playout Control**

- Edit playlist on the fly and while playing
- Playlist countdown and clip countdown
- File and clip list progress bars
- Playout Capture streams through SDI and native window
- Print to tape
- Queue clip on the playlist
- Queue on first frame and last frame
- Queue on first frame the first clip of the playlist
- Bypass action for playout clips
- Pause Playlist
- Playout to stream
- Thumbnail preview of the current clip on the playlist and its remaining time until Playout of the next clip
- On Air - current loaded playlist name
- Loop a playlist
- Loop one or more assets in the playlist
- Drag and Drop Clip List entries in Playout Control
- Multi-channel playout capability
- Schedule Playout
- Choose between Playout Services available - rPlayerSDI or CasparCG
- Mini control bar for use with Playout Control
- Keyboard shortcuts for playout control and associated WEB player
- Autoplay option
- As Run Log's containing Date, Time, Clip name, Time Code In, and Time Code Out
- Prepare the Playout clip actions while preparing the playlist

**Input/output social media \*Optional**

- Google Chrome Social-m Plugin
- Social-m - Add support for live stream capture
- Metadata in Chrome Social-m Plugin
- Capture to Facebook Live
- Stream to Facebook Live
- Stream to Twitch Live
- Capture to YouTube Live
- File based YouTube Upload
- Capture X (Twitter) Live
- Stream to X (Twitter) Live
- Upload to Vimeo
- Metadata social annotation and enhancement

**PAM - Production Asset Management**

- Advanced text search
- Asset browser permissions
- Asset collections
- Asset essences
- Asset essences for generic sources
- Asset comments
- Enable on-the-fly tagging
- Flexible metadata management
- Dynamic Automatic Jobs - Age value for CreationDate (Available for Copy, Move, Archive Workflows)
- Display of Essences File Paths
- Check-in via detector
- Check-in via metadata update
- Check-in via workflow
- Interactive approval workflows
- MOG player proxy
- Move option in asset collections
- Collections as input in automatic jobs
- Private and shared asset collections
- Show the creator of the collection
- Statistics for collections
- Save searches and filters
- Rich logging workflows
- User abstraction for in/out assets
- Instant play, anytime and anywhere of any asset (with or without proxy)
- Disk-to-Disk Storage Manager (Archive and Restore)

**Metadata Enhancement and preservation**

**Artificial Intelligence**

**Audio**

- Audio clipping detection
- Loudness detection
- Silence detection
- Voice activity detection
- Audio mute detection
- Audio phase detection
- Mono audio detection

**Video**

- Black frames detection
- Video freeze detection

**Features**

- Scene change detection
- Black Margins detection
- Flashing video detection

**Object**

- Concept tagger 2.0
- Vehicle detection
- License plate detection

**Others**

- Timecode gap detection
- Update existing interplay entry with new metadata
- Possibility to add bounding boxes to player

**Transform**

- Automatically Blur License Plates
- Black margins automatic crop
- Remove audio clicks
- Remove audio clipping
- AI Upscale
- Reduce video flashing

**Additional AI Operations**

- Face recognition 2.0
- Face recognition - Support dataset with multiple images for each person
- Age prediction detection
- Object detection 2.0
- Optical Character Recognition (OCR)
- Speech recognition 2.0 (with ability to detect non speech tokens)

**mTALK**

- Audio communication between users
- QR code implementation
- WebApp (requires Android smartphone)
- Toggle Mode

**Analytics**

- Google Analytics and Tag Manager integration
- Option to enable and disable Analytics
- Track menu events
- Video metrics
- Track job control widget events
- Track asset explorer widget events

**Improved security**

- Support for Windows UAC
- Support for HTTP/HTTPS Ingress
- HTTPS (Hypertext Transfer Protocol Secure) for REST API
- Secure login
- User Impersonation
- Token based authentication
- Two-factor authentication
- Remote services, system restart, and settings recovery features
- DASH/HLS packager with DRM
- "Keep me signed in" login option
- User Verification through email
- Configurable password visibility in logs

**Transfer acceleration protocols**

- Aspera FASP transport technology - Transfer acceleration protocol
- FileCatalyst direct - Transfer acceleration protocol

**Hardware acceleration** \*If Hardware is installed or available

- Nvidia Nvenc

**General Purpose IN/OUT**

- GPI triggers supported
- GPO triggers supported

**Additional Highlights**

- REST API - allows interaction with RESTful web services
- Change Aspect Ratio (4:3 / 16:9 / 1.9:1 / 2:1 or use same as source)
- Active Format Description (Option to Preserve, Discard or Override)
- Notify user upon connection lost with the Server
- Manage via web interface or REST APIs for integration with automation system
- Configurable quality and target latency of the preview stream
- Logging - Human readable information on Services logs
- Logging - Add user information on flow actions
- Logging - Structured Logging
- SMTP E-mail Notifications
- Support an external Database
- Microsoft Edge / Firefox and Chrome Support

**Unified Interface User Experience**

- Configurable web interface access port
- Embeddable Dashboards/Widgets
- Web-Based Interface with video preview
- Dashboards based experience where users can create their own personalized view
- Dashboards presets for ease-of-use deployment



### Features

Create custom dashboard templates
Import and export of users Dashboards
Associate same dashboards to multiple users
LDAP user authentication
User profile management
Users permissions control
Widget based modular interface
Lock/Unlock widgets permission
High contrast theme
Touch screen mode
Monitoring - Advanced metrics
Multi Language Support
User tour
Show/Hide player overlays
Notifications of required actions needed to resume a workflow
View which servers in a group are running Capture and Ingest Operations in a Group activity widget
Possibility to remove quick edit button from Job Control widget
Permissions to activate or deactivate settings of Gang Capture widget
<b>Multiviewer</b>
Configurable quality and target latency of the preview stream
Ability to control to up to 4 players in a single dashboard
<b>Maintenance</b>
<b>Scheduler</b>
Reboot host or group
Export database (backup) as a scheduled task
Export logs as a scheduled task
<b>Activity</b>
Export last activity
Export all activity
Export activity from a date range
Clear all activity
<b>Logs</b>
Export logs
<b>Backup</b>
Export full backup - A full backup will create an archive of all the files and configurations
Import full backup
<b>Dashboards</b>
Export dashboards from one user or all users
Import dashboards
<b>Data</b>
Clean data usage
Clean assets, flows and notifications
Factory data reset
Erase all data and reset the system
Force clear cache

## Technical Specifications

### Supported File Inputs

#### Inputs

<b>OnPrem</b>	<b>Plain Files or Structures</b>
	ARRI ALEXA Cameras
	BlackMagic Cameras
	RED Digital Cinema
	Avid Files
	Avid Media Files (standalone or Nexis/ISIS)
	Avid Sequences (master clips and rendered sequences)
	CANON DSLR 5D, 7D, C300, C100
	GoPro Cards
	IKEGAMI GFPAK
	JVC (AVC HD models)
	NextoDI NSB-25
	Panasonic AU-EVA1 and GH5 Cameras
	<b>Panasonic P2</b>
	AJ-PCD 2 / AJ-PCD 20/30/35 / AJ-MPD1
	AU-XP1E / AU-XP3EJ
	<b>XDCAM EX:</b>
	Sony SxS (SBAC-UT100, SBAC-US10/20/30)
	<b>XDCAM HD</b>
	Sony XDCAM HD: Disc (PDW-U1, PDW-U2, PDW-U4)
XAVC Structures	
DJI (Camera Drones)	
HLS Structures	
MPEG-TS Structures	

**Inputs**

<b>OnPrem</b>	<b>Network</b>
	XDCAM Network
	P2 Network
	ARRI RAW Network
	Ikegami Network
	<b>Storage</b>
	Avid ISIS / Nexis
	Avid Unity™ MediaNetwork
	DDP – Dynamic Drive Pool
	Facilis TerraBlock
	Harmonic MediaGrid
	Editshare EFS
	NAS / SAS (SMB 2.0 and 3.0)
	Quantum StorNext
	ScaleLogic NX2 & ZX NAS Storage
	EMC Isilon
QNAP	
Studio Network Solutions EVO	
Oracle Storage	
Netapp	
<b>Cloud</b>	<b>Social Media</b>
	Facebook
	X (Twitter)
	Vimeo
	YouTube
	<b>Professional Cloud Storages</b>
	Adobe Creative Cloud
	Amazon S3 Glacier
	Microsoft Azure Storage
	Tencent
	Lucidlink Cloud NAS
	Google Cloud Storage
	IBM Cloud Object Storage
	Generic S3 storages
	<b>Consumer Cloud Storages</b>
	Apple I Cloud Drive
Dropbox	
Google Drive	
Microsoft One Drive	

**Supported File Outputs**

**Outputs**

<b>OnPrem</b>	Avid ISIS / Nexis
	Avid Unity™ MediaNetwork
	DDP – Dynamic Drive Pool
	Facilis TerraBlock
	Harmonic MediaGrid
	Editshare EFS
	NAS / SAS (SMB 2.0 and 3.0)
	Quantum StorNext
	ScaleLogic NX2 & ZX NAS Storage
	EMC Isilon
	QNAP
	Studio Network Solutions EVO
	Oracle Storage
Netapp	
FTP Servers (List on request)	
Generic File Shares	
<b>Cloud</b>	<b>Consumer Cloud Storages</b>
	Apple I Cloud Drive
	Dropbox
	Google Drive
	Microsoft One Drive
	<b>Multiple and Adaptive bitrates for the OTT *Optional</b>
	<b>Professional Cloud Storages</b>
	Adobe Creative Cloud
Amazon S3 Glacier	
Microsoft Azure Storage	
Tencent	
Lucidlink Cloud NAS	

### Outputs

Cloud	Google Cloud Storage
	IBM Cloud Object Storage
	Generic S3 storages
	<b>Social Media *Optional</b>
	Facebook
	X (Twitter)
	Vimeo
YouTube	

## Supported Live Inputs

### Inputs

Live	<b>SDI</b>
	SD-SDI (SMPTE 259M)
	3G-SDI (SMPTE 292M, SMPTE296M, SMPTE372M, SMPTE425M)
	12G-SDI (SMPTE ST-2081/SMPTE ST-2082, SMPTE/2108-1)
	12G-SDI (Quad-Link 3G-SDI)
	<b>Streams</b>
	Video Content Hyperlinks
	HLS
	MPEG-TS
	MPEG-DASH
	RTMP (with support for HEVC / VP9 / AV1)
	RTP
	RTSP
	NewTek NDI
	UDP
	Haivision SRT
	WebRTC
	<b>Social Media</b>
	Facebook
	Twitch
X (Twitter)	
YouTube	

## Supported Live Outputs

### Outputs

Live	<b>SDI</b>
	SD-SDI (SMPTE 259M)
	3G-SDI (SMPTE 292M, SMPTE296M, SMPTE372M, SMPTE425M)
	12G-SDI (SMPTE ST-2081/SMPTE ST-2082, SMPTE/2108-1)
	12G-SDI (Quad-Link 3G-SDI)
	<b>Streams</b>
	HLS
	Microsoft Smooth Streaming
	MPEG-DASH
	Low Latency Dash - LL-Dash
	NewTek NDI
	MPEG-TS
	RTMP (with support for HEVC / VP9 / AV1)
	RTP
	RTSP
	UDP
	Haivision SRT
	WebRTC
	<b>Vizzi</b>
	Live Output
<b>Social Media *Optional</b>	
Facebook	
Twitch	
X (Twitter)	
Vimeo	
YouTube	
<b>Multiple and Adaptive bitrates for the OTT *Optional</b>	

## Formats

### Input Formats

Input Video Formats
ARRI ARRIRAW
Blackmagic RAW
Digital Cinema Packages (DCP)
RED Digital Cinema
IMX 30/40/50 Mbps
MPEG2 LGOP 18/25/35 Mbps 4:2:0
MPEG2 LGOP 50/70 Mbps 4:2:2
MPEG2 LGOP 422 50 Mbps
MPEG2 LGOP 420 1440x1080 35 Mbps
MPEG2 LGOP 420 (FULL) 35 Mbps
DVCAM 25 Mbps
XAVC Intra 50 / 100 Mbps
XAVC LGOP 25 / 35 / 50 Mbps
DVCPRO 25/50 Mbps / DVCPRO HD 100 Mbps
AVC-Intra 50/100 Mbps
AVC-Intra 200 Mbps
AVC-Intra 2K422
AVC-Intra 4K422
AVC Ultra (LGOP 6/12/25/50 Mbps)
DNxHD (SQ/HQ/HQX/LB)
DNxHR (SQ/HQ/HQX/LB)
H.264 4320P 80 - 150 Mbps High Profile
H.264 4320P 150 - 280 Mbps High Profile
H.264 2160p 35 - 68 Mbps High Profile
H.264 1440p 16 - 24 Mbps High Profile
H.264 1080p 8 - 12 Mbps High Profile
H.264 720p 5 - 7.5 Mbps High Profile
H.264 480p 2.5 - 4 Mbps High Profile
H.264 360p 1 - 1.5 Mbps High Profile
H.264 2160p 13 - 51 Mbps High Profile (Live)
H.264 1440p 6 - 18 Mbps High Profile (Live)
H.264 1080p 3 - 9 Mbps High Profile (Live)
H.264 720p 1.5 - 6 Mbps High Profile (Live)
H.264 480p 0.5 - 2.0 Mbps High Profile (Live)
H.264 360p 0.4 - 1.0 Mbps High Profile (Live)
H.264 240p 0.3 - 0.7 Mbps High Profile (Live)
H.264 L10 10 Mbps
H.264 MOG 1Mbps
H.265/HEVC 10 Mbps LGOP
H.265/HEVC 25 Mbps LGOP
H.265/HEVC 50 Mbps LGOP
H.265/HEVC 100 Mbps LGOP
H.265/HEVC 4K 25 Mbps LGOP
H.265/HEVC 4K 50 Mbps LGOP
H.265/HEVC 4:2:2 LGOP
H.265/HEVC 4K 4:2:2 LGOP
NDI HX H.264 - High Profile
NDI HX H.265 - High Profile
MPEG-5 EVC Baseline Profile
MPEG-5 EVC Main Profile
MPEG VVC/H266 Main Profile
ProRes 422 (SQ/HQ/LT)
ProRes 4444
ProRes 4444XQ
JPEG 2000 (Full HD)
JPEG 2000 (4K)
Google® VP6 / VP7 / VP8 / VP9 (Full HD)
Uncompressed UYVY 422 / V210 / RGBA
AOMedia Video 1 (Full HD)
AOMedia Video 1 (4K)
IMF (JPEG 2000 @ Full HD)
IMF (JPEG 2000 @ 4K)

## Output Formats

### Output Video Formats

IMX 30/40/50 Mbps
MPEG2 LGOP 18/25/35 Mbps 4:2:0
MPEG2 LGOP 50/70 Mbps 4:2:2
MPEG2 LGOP 422 50 Mbps
MPEG2 LGOP 420 1440x1080 35 Mbps
MPEG2 LGOP 420 (FULL) 35 Mbps
DVCAM 25 Mbps
XAVC Intra 50 / 100 Mbps
XAVC LGOP 25 / 35 / 50 Mbps
DVCPRO 25/50 Mbps / DVCPRO HD 100 Mbps
AVC-Intra 50/100 Mbps
AVC-Intra 200 Mbps
AVC-Intra 2K422
AVC-Intra 4K422
AVC Ultra (LGOP 6/12/25/50 Mbps)
DNxHD (SQ/HQ/HQX/LB)
DNxHR (SQ/HQ/HQX/LB)
H.264 4320p 150 - 280 Mbps High Profile
H.264 4320p 80 - 150 Mbps High Profile
H.264 2160p 35 - 68 Mbps High Profile
H.264 1440p 16 - 24 Mbps High Profile
H.264 1080p 8 - 12 Mbps High Profile
H.264 720p CBR - 6.5 Mbps High Profile
H.264 720p 5 - 7.5 Mbps High Profile
H.264 480p 2.5 - 4 Mbps High Profile
H.264 360p 1 - 1.5 Mbps High Profile
H.264 2160p 13 - 51 Mbps High Profile (Live)
H.264 1440p 6 - 18 Mbps High Profile (Live)
H.264 1080p 3 - 9 Mbps High Profile (Live)
H.264 720p 1.5 - 6 Mbps High Profile (Live)
H.264 480p 0.5 - 2.0 Mbps High Profile (Live)
H.264 360p 0.4 - 1.0 Mbps High Profile (Live)
H.264 240p 0.3 - 0.7 Mbps High Profile (Live)
H.264 1080p CBR 15 Mbps MAIN Profile
H.264 480p CBR 2.3 Mbps MAIN Profile
H.264 15-30 Mbps MAIN Profile
H.264 L10 10 Mbps
H.264 WebRTC Baseline
H.265/HEVC LGOP 4:2:2
H.265/HEVC 10 Mbps LGOP
H.265/HEVC 25 Mbps LGOP
H.265/HEVC 50 Mbps LGOP
H.265/HEVC 100 Mbps LGOP
H.265/HEVC 4K 25 Mbps LGOP
H.265/HEVC 4K 50 Mbps LGOP
NDI HX H.264 - High Profile
NDI HX H.265 - High Profile
MPEG-5 EVC Baseline Profile
MPEG-5 EVC Main Profile
MPEG VVC/H266 Main Profile
ProRes 422 (SQ/HQ/LT)
ProRes 4444
ProRes 4444XQ
JPEG 2000 (Full HD)
JPEG 2000 (4K)
Google® VP6 / VP7 / VP8
Google® VP9 (Full HD)
Google® VP9 (4K)
Uncompressed UYVY 422 / V210 / RGBA
AOMedia Video 1 (Full HD)
AOMedia Video 1 (4K)
IMF (JPEG 2000 @ Full HD)
IMF (JPEG 2000 @ 4K)

### Proxy Formats

#### Output Proxy Formats

XAVC LGOP 25 / 35 Mbps
AVC Ultra (LGOP 6/12/25 Mbps)
H.264 @ 500 Kbps Flash
H.264 @ 486p 1 / 1.5 Mbps Flash
H.264 360p @ 1.6 Mbps Flash
H.264 720 480p @ 8 / 10 Mbps Flash
H.264 720p @ 8 / 15 / 16 / 20 / 24 / 25 Mbps Flash
H.264 854 480p @ 8 / 10 Mbps Flash
H.264 960 540p @ 3 Mbps Flash
H.264 1080p @ 8 / 15 / 16 / 20 / 24 / 25 Mbps Flash
H.264 SD @ 4 / 8 / 15 / 20 / 25 Mbps
H.264 480p @ 0.5 - 2 Mbps High Profile (Live)
H.264 360p @ 0.4 - 1 Mbps High Profile (Live)
H.264 240p @ 0.3 - 0.7 Mbps High Profile (Live)
ProRes Proxy 1920x1080
ProRes Proxy 1280x720
ProRes Proxy 960x540
ProRes Proxy SD (16:9 Raster)
ProRes Proxy SD
MPEG-1 (layer 2) @ 1.5 Mbps
Avid MPEG-2 (SIF @ 2Mbps)
H.264 MOG 1Mbps
H.264 Interplay Web (SD, 800 Kbps, and 2 Mbps)
Sony Proxy AV (MPEG-4 Part-2) @1.5 Mbps

### OTT Formats \*

#### Output OTT Formats

H.264 2160p 35 - 68 Mbps High Profile
H.264 1440p 16 - 24 Mbps High Profile
H.264 1080p 8 - 12 Mbps High Profile
H.264 720p 5 - 7.5 Mbps High Profile
H.264 480p 2.5 - 4 Mbps High Profile
H.264 360p 1 - 1.5 Mbps High Profile
H.264 2160p 13 - 51 Mbps High Profile (Live)
H.264 1440p 6 - 18 Mbps High Profile (Live)
H.264 1080p 3 - 9 Mbps High Profile (Live)
H.264 720p 1.5 - 6 Mbps High Profile (Live)
H.264 480p 0.5 - 2.0 Mbps High Profile (Live)
H.264 360p 0.4 - 1.0 Mbps High Profile (Live)
H.264 240p 0.3 - 0.7 Mbps High Profile (Live)
H.265/HEVC 10 Mbps LGOP
H.265/HEVC 25 Mbps LGOP
H.265/HEVC 50 Mbps LGOP
H.265/HEVC 100 Mbps LGOP
H.265/HEVC LGOP 4:2:2
Google® VP9 (Full HD)
Google® VP9 (4K)

\* Optional output

## Product Integrations

Editing Systems	MAM / PAM / DAM	Cameras	Consumer Cloud Storages
Adobe Premiere Pro	CatDV MAM	Canon (DSLR5D, DSLR 7D)	Dropbox
AVID Media Composer	CatDV PAM	Canon (DSLR C300, DSLR C100)	Google Drive
AVID Media Central UX	CatDV DAM	ARRI Alexa XT (ARRIRAW)	Microsoft One Drive
AVID Media Central Cloud UX	eMAM Media Asset Management	Panasonic AU-EVA1	Apple I Cloud Drive
Apple Final Cut Pro X	Telestream: Masstech	Panasonic GH5 Cameras	CDN's
Edius: Pro 8, Workgroup 9	AVID Interplay	Panasonic CX350 HEVC	Lumen
BlackMagic: DaVinci Resolve Studio	AVID Media Central UX	Panasonic PTZ Cameras	Fastly
Autodesk: Flame	AVID Media Central Cloud UX	Ikegami Gfpack	Akamai Technologies
Storage	AXLE MAM	JVC AVC HD camera models	Microsoft Azure
AVID ISIS Storage	Editshare Flow	LUMIX DC-S1H	Cloudflare
AVID Nexis Storage	MOG Vizzi	NewTek PTZ3 UHD Camera	Limelight Networks
Avid Unity™ MediaNetwork	Medialoopster MAM	NewTek PTZ3 Camera	Amazon CloudFront
Dynamic Drive Pool SAN Storage	Professional Cloud Storages	RED Digital Cinema	BootstrapCDN
Facilis Terrablock	Adobe Creative Cloud	GOPRO	StackPath
Harmonic MediaGrid	Amazon EC2	Card Readers	KeyCDN
Quantum: Storenext	Amazon S3	Panasonic P2 (AJ PCD 2 / AJ PCD 20/30/35)	Rackspace
Scalelogic: NX2 & ZX NAS Storage	Amazon S3 Glacier	Panasonic P2 (AJ MPD1)	Alibaba Cloud Content Delivery Service
Editshare EFS	Microsoft Azure Storage	Panasonic P2 (AU-XPD1E / AU-XPD3EJ)	CacheFly
EMC: Isilon	Microsoft Azure Virtual Machines	Panasonic P2 (AG HPG 20)	Verizon
Qnap	Tencent: Cloud Storage	Sony XDCAM EX (SxS Cards): SBAC-US10/20/30	Social Media *Optional
Studio Network Solutions: EVO	Lucidlink Cloud NAS	Sony XDCAM EX (SxS Cards): SBAC-UT100	Facebook
Oracle Storage	Google Cloud Storage	Sony XDCAM EX (SxS Cards): MRW E-80	Twitch
Netapp	IBM Cloud Object Storage	Sony XDCAM EX (SxS Cards): MRW E-90	X (Twitter)
Transfer Acceleration Protocols	Generic S33	Sony Disc Reader: PDW-U1, PDW-U2	YouTube
File Catalyst Direct	Stream	VTR Decks	Vimeo
IBM: Aspera File Transfer	Newtek NDI	XDCAM HD: Disc (PDW 1500, PDW HD1500)	
Peripheral Devices	Haivision SRT	XDCAM HD: Disc (PDW F70)	
Countour Shuttle Pro V2	Structures	XDCAM Station (XDS1000)	
Elgato Stream Deck	XAVC Structures		

## Server Options

Features		Specs	
System	<b>Platform</b>	Dell XR12	
	<b>GPU</b>	1x Nvidia A2	
	<b>Video IO</b>	1x DeckLink 8K Pro	
	<b>Storage Drive</b>	8TB SSD**	
	<b>Operating System Drive</b>	480GB RAID 1	
	<b>Operating System</b>	Windows 10 Enterprise (LTSC)	
Connectivity	<b>Networking</b>	1Gb Ethernet Port	2
		10Gb Ethernet Port SFP+	4
	<b>Video</b>	VGA Out	1
		<b>USB</b>	2.0
	3.0		1
	<b>Serial</b>		1
	<b>BNC 12G In/Out</b>		4
	<b>Ref. In</b>		1
<b>Power Requirements</b>		Dual 1400W	
Extended Connectivity	<b>Peripheral Board**</b>	LTC Input	1
		Audio Out	1
		Breakout Connector	1
	<b>Breakout Cable</b>	RS422	4
		GPO branch with 4 outputs	1
	GPI branch with 4 inputs	1	
Other	<b>Dimensions &amp; Weight</b>	2RU, 463x482x86.8mm (D, W, H), ~20.5 kg	
	<b>Delivery Packaging</b>	470x487x92mm (D, W, H), ~25Kg	
	<b>Temperature</b>	Storage**	-40°C to 65°C (-40°F to 149°F)
		Continuous Operation	10°C to 35°C (50°F to 95°F)
	<b>What is Included</b>	Power Cable	2x C13 to C14
Other		Static rails for 2/4-post racks	

\*\* Not included by default

## Concurrent Media Operations

With mDECK Solid io, it is possible to run different media operations simultaneously, thus guaranteeing a universe of distinct arrangements to meet the challenging day-to-day activities of media production companies.

Media operations include recording, ingest, transcoding, playback, file preview, live channel switching, and intercom.

mDECK Solid io supports up to 6 media operations at the same time. Within this margin, you can combine the operations shown in the table below:

Concurrent Media Operations					
Record	Ingest & Transcode	Playback	File Preview	Live Switch	Intercom
Up to 4 live channels	Up to 1 operation	Up to 4 playback files	Up to 5 files preview	Up to 1 operation	Up to 1 operation

**Note:** when using operations dependent on video inputs and outputs, the physical limit of the video card must be respected. Thus, the sum of these operations cannot be greater than 4.

## Product

Part Number	Product	Description
mdslio	mDECK Solid io	Deck appliance for hybrid workflows of up to 7 combined media operations

## Available Options

Choose from the products below to customize the mDECK Solid io according to your business rules.

### Production Tools

Tools for asset management and workflow orchestration.



#### mPLAN

Setup scheduled events not only from the standard scheduler but through a unique roll out view interface. mPLAN is a tool that maintains a single rollout view of all scheduled events, allowing the management of the ingests process very efficiently. It manages multiple scheduled events across a variety of recording platforms in a multichannel environment using router control cross-points.

Part Number	Product	Description
mpla4c	mPLAN	Scheduler & Router Control of up to 4 channels

**Note:** Adding optional features might affect the number of simultaneous operations.

### Add-ons

Output options to complement your workflows.

Part Number	Product	Description
sloasa	OTT & Social media	Multiple output resolutions for OTT & Simultaneous social media shares

**Note:** Adding optional features might affect the number of simultaneous operations.

## Plugins

Complement any media production and distribution workflow with turnkey plugins and extensions.



#### Social-m

Quickly fetch and publish your live or VoD contents to social media.

This social media plugin for Chrome will let users ingest media without having to access the mDECK GUI, allowing the content to be ready for editing or any other task, in no time. Simply open the plugin, insert the URL and run the workflow to fetch your video, with option to preserve metadata.



#### Screen-m

Quickly capture and deliver your screen contents to your production environment.

Easily record your screen in its entirety or choose one of the open windows. You can even enable the capture of a microphone and the mouse cursor to make it easier to explain any presentation.

Part Number	Product	Description
smpi	Social-m plugin	Social media capture & Publishing
scpi	Screen-m plugin	Screen capture & Delivery

**Note:** Adding optional features might affect the number of simultaneous operations.



## Artificial Intelligence

Artificial intelligence engine to boost and facilitate media tasks even more.

Default (already included)	
Black frames detection	Voice activity detection
Video freeze detection	Silence detection
Black margins detection	Loudness detection
Audio clipping detection	Loudness balance
Audio mute detection	Vehicle detection
Audio phase detection	License plate detection
Audio mono detection	Concept tagger
Timecode gap detection	Bouncing boxes
Scene change detection	Update existing interplay entry with new metadata
Transformation	
Frame rate conversion	Crop black margins
Remove audio clicks	AI upscale
Remove audio clipping	Blur license plates

Additional AI Operations	
Part Number	Product
slaifr	Face Recognition and Age Prediction
slaiod	Object Detection
slaicr	Optical Character Recognition
slaisr	Speech Recognition

**Note:** Adding optional features might affect the number of simultaneous operations.

## Cards

Customize your solution to your day-to-day media needs.

Part Number	Product	Description
pcbx	Peripheral card	Optional MOG module to expand I/O available with 1x LTC, 1x audio output, 1x GPI, 1x GPO and 4x RS422

**Note:** Adding optional features might affect the number of simultaneous operations.

## Storage

Option for local storage.

Part Number	Description
mdslssd8t	8TB of SSD storage

Contact our sales team at [sales@mog-technologies.com](mailto:sales@mog-technologies.com) to find out how to purchase or in case you need more information.

**Disclaimer:** the data and information contained in this document is representative and may be incomplete. If in doubt, please contact our sales team at [sales@mog-technologies.com](mailto:sales@mog-technologies.com). The information contained in this document is not to be construed as a warranty, express or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. In no event will MOG be liable for any incidental or consequential damages resulting from the use, misuse, or inability to use the product. This exclusion applies regardless of whether such damages are sought on the basis of breach of warranty, breach of contract, negligence, strict liability in tort or any other legal theory. Contact our sales team at [sales@mog-technologies.com](mailto:sales@mog-technologies.com) to find out how to purchase or in case you need more information.